SDS Revision Date: 10/30/2014

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity Spray Off
Alternate Names Spray Off

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Citation Equipment, INC

4319 Crittenden Drive

Louisville, KY 40209. USA

For Chemical Emergency:

24 hour Emergency Telephone No. **502-744-7485 Customer Service: Citation Equipment, INC** 502-367-2239

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H315 Causes skin irritation.

H319 Causes serious eye irritation.

SDS Revision Date: 10/30/2014

[Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P321 Specific treatment (see information on this label).

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ethylene glycol monobutyl ether CAS Number: 0000111-76-2	1.0 - 10	Acute Tox. 4;H332 Acute Tox. 4;H312 Acute Tox. 4;H302 Eye Irrit. 2;H319 Skin Irrit. 2;H315	[1][2]
Disodium metasilicate CAS Number: 0006834-92-0	1.0 - 10	Skin Corr. 1B;H314 STOT SE 3;H335	[1]
pentasodium triphosphate CAS Number: 0007758-29-4	1.0 - 10		[1]
Nonylphenol polyethoxylate CAS Number: 0009016-45-9	1.0 - 10	Eye Dam. 2A;H319 Skin Irrit. 2;H315 Aquatic Chronic 2;H411 Acute Tox. 4;H302	[1][3]
Custom HCS-50 Surfactant CAS Number: Proprietary	1.0 - 10		[1]

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.

SDS Revision Date: 10/30/2014

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

If ingested dilute by drinking 2 large glasses of water. In all cases of overexposure get

medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Overview Routes of Entry:

Inhalation: Inhalation of high mist concentration may be irritation.

Eyes: Severely irritating.

Skin: Prolonged contact with skin may cause some irritation.

Ingestion: Dilute by drinking large quantities of water, call physician immediately.

Acute (Immediate): Irritant to skin and eyes.

Chronic (Delayed Effect): None

Signs and Symptoms of Exposure: Direct contact with eyes may cause extreme irritation

and burning. Prolong contact with skin may cause reddening and irritation.

Medical Conditions Generally Aggravated by Exposure: Preexisting eye disorders may be

aggravated by exposure to this product.

See section 2 for further details.

Eyes Causes serious eye irritation.

Skin Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

As appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

5.3. Advice for fire-fighters

SDS Revision Date:	10/30/2014
--------------------	------------

None

SDS Revision Date: 10/30/2014

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Dike and contain spilled material. Small Spills may be collected with absorbent material. Flush residue away with spray.

Product can be flushed to sanitary sewer with large quantities of water.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Caustics. Acids. Oxidizers.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000111-76-2	Ethylene glycol monobutyl ether	OSHA	TWA 50 ppm (240 mg/m3) [skin]
		ACGIH	TWA: 20 ppmRevised 2003,
		NIOSH	TWA 5 ppm (24 mg/m3) [skin]
		Supplier	No Established Limit
0006834-92-0	Disodium metasilicate		No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	ACHAN TLV/OSHA 2mg/m³PEL 2mg/m³
0007758-29-4	pentasodium triphosphate	OSHA	No Established Limit
		ACGIH	No Established Limit

SDS Revision Date: 10/30/2014

		NIOSH	No Established Limit
		Supplier	No Established Limit
0009016-45-9	Nonylphenol polyethoxylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
	Supplier	No Established Limit	
Proprietary	Custom HCS-50 Surfactant	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value	
0000111-76-2	Ethylene glycol monobutyl ether	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;	
0006834-92-0	Disodium metasilicate	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0007758-29-4	007758-29-4 pentasodium triphosphate OSF		Select Carcinogen: No	
			Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0009016-45-9	Nonylphenol polyethoxylate	OSHA	Select Carcinogen: No	
	NTP Kno		Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
Proprietary	Custom HCS-50 Surfactant	OSHA Select Carcinogen: No NTP Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

8.2. Exposure controls

Respiratory None required under normal working conditions.

Eyes Protective safety glasses recommended.

Skin Wear overalls to keep skin contact to a minimum. Chemical Impervious Gloves

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

SDS Revision Date:	10/30/2014
--------------------	------------

See section 2 for further details. - [Prevention]:

SDS Revision Date: 10/30/2014

9. Physical and chemical properties

AppearanceLiquidOdorNo

Odor threshold Not Measured PH Not Measured

Melting point / freezing pointN/AInitial boiling point and boiling range115 CFlash PointN/A

Evaporation rate (Ether = 1) Not Measured
Flammability (solid, gas) Not Applicable

Upper Explosive Limit: N/A

Vapor pressure (Pa)N/AVapor DensityN/ASpecific Gravity1.11Solubility in Water100%

Partition coefficient n-octanol/water (Log Kow) Not Measured

Auto-ignition temperature N/A

Decomposition temperatureNot MeasuredViscosity (cSt)Not Measured

Reactivity in Water N/A

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Do not mix with acids.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

No hazardous decomposition data available.

SDS Revision Date: 10/30/2014

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Ethylene glycol monobutyl ether - (111-76-2)	1,414.00, Guinea Pig - Category: 4	1,200.00, Guinea Pig - Category: 4	173.00, Guinea Pig - Category: NA	No data available	No data available
Disodium metasilicate - (6834-92-0)	1,153.00, Rat - Category: 4	No data available	No data available	No data available	No data available
pentasodium triphosphate - (7758-29-4)	3,120.00, Rat - Category: 5	No data available	No data available	No data available	No data available
Nonylphenol polyethoxylate - (9016-45-9)	2,000.00, Rat - Category: 4	No data available	No data available	No data available	No data available
Custom HCS-50 Surfactant - (Proprietary)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

SDS Revision Date: 10/30/2014

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Ethylene glycol monobutyl ether - (111-76-2)	220.00, Fish (Piscis)	1,000.00, Daphnia magna	Not Available
Disodium metasilicate - (6834-92-0)	210.00, Danio rerio	33.53, Ceriodaphnia dubia	400.00 (72 hr), Pseudokirchneriella subcapitata
pentasodium triphosphate - (7758-29-4)	Not Available	Not Available	Not Available
Nonylphenol polyethoxylate - (9016-45-9)	1.30, Lepomis macrochirus	4.80, Daphnia pulex	12.00 (96 hr), Pseudokirchneriella subcapitata
Custom HCS-50 Surfactant - (Proprietary)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

SDS Revision Date: 10/30/2014

14. Transport information

DOT (Domestic Surface

Transportation)

14.1. UN number Not Applicable Not Regulated

14.2. UN proper shipping

name

14.3. Transport hazard

class(es)

DOT Hazard Class: Not

Applicable

DOT Label: ---

14.4. Packing group Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

Not Applicable

IMO / IMDG (Ocean

IMDG: Not Applicable

Sub Class: Not Applicable

Transportation)

Not Regulated

Not Regulated

ICAO/IATA

Not Regulated

Not Regulated

Not Applicable

Air Class: Not Applicable

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance

All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory. **WHMIS Classification** D₂B

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs (lbs):

pentasodium triphosphate (5,000.00)

EPCRA 302 Extremely Hazardous:

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals:

Ethylene glycol monobutyl ether

Proposition 65 - Carcinogens (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):

(No Product Ingredients Listed)

SDS Revision Date: 10/30/2014

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

Ethylene glycol monobutyl ether

Penn RTK Substances (>1%):

Ethylene glycol monobutyl ether pentasodium triphosphate

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

End of Document