

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product Identity** Steam Off

**Alternate Names** Steam Off

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** See Technical Data Sheet.

**Application Method** See Technical Data Sheet.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Citation Equipment, INC  
4319 Crittenden Drive  
Louisville, KY 40209. USA

#### For Chemical Emergency:

**24 hour Emergency Telephone No.** 502-744-7485  
**Customer Service: Citation Equipment, INC** 502-367-2239

### 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



**Warning**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**[Prevention]:**

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

**[Response]:**

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P321 Specific treatment (see information on this label).

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

**[Storage]:**

No GHS storage statements

**[Disposal]:**

No GHS disposal statements

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
pentasodium triphosphate CAS Number: 0007758-29-4	1.0 - 10		[1]
Custom HCS-50 Surfactant CAS Number: Proprietary	1.0 - 10		[1]
Sodium hydroxide CAS Number: 0001310-73-2	1.0 - 10	Skin Corr. 1A;H314 Acute Tox. 4;H312	[1][2]
Disodium metasilicate CAS Number: 0006834-92-0	1.0 - 10	Skin Corr. 1B;H314 STOT SE 3;H335	[1]
Nonylphenol polyethoxylate CAS Number: 0009016-45-9	1.0 - 10	Eye Dam. 2A;H319 Skin Irrit. 2;H315 Aquatic Chronic 2;H411 Acute Tox. 4;H302	[1][3]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

### 4. First aid measures

#### 4.1. Description of first aid measures

**General**

In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. If ingested dilute by drinking 2 large glasses of water. In all cases of overexposure get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Overview</b>	Route(s) of Entry: Irritant to skin and eyes. Inhalation: Inhalation of high mist may be irritating. Skin: Prolonged contact with skin may cause some irritation. Ingestion: Harmful if swallowed. Health hazards (Acute and Chronic): Irritant to eyes and skin. Signs and Symptoms of Exposure: Direct contact with eyes may cause extreme irritation and burning. Prolonged contact with skin may cause reddening and irritation. Medical Conditions Generally Aggravated by Exposure: Pre-existing eye disorders may be aggravated by exposure to this product. See section 2 for further details.
-----------------	---

<b>Eyes</b>	Causes serious eye irritation.
<b>Skin</b>	Causes skin irritation.

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

As appropriate for surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

#### 5.3. Advice for fire-fighters

None

ERG Guide No. ----

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

### 6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Dike and Contain spilled material. Small spills may be collected with absorbent material. Follow Environmental regulations. Empty containers should be recycled.

## 7. Handling and storage

### 7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong acids

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
0001310-73-2	Sodium hydroxide	OSHA	TWA 2 mg/m <sup>3</sup>
		ACGIH	Ceiling: 2 mg/m <sup>3</sup>
		NIOSH	C 2 mg/m <sup>3</sup>
		Supplier	No Established Limit
0006834-92-0	Disodium metasilicate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	ACHAN TLV/OSHA 2mg/m <sup>3</sup> PEL 2mg/m <sup>3</sup>
0007758-29-4	pentasodium triphosphate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0009016-45-9	Nonylphenol polyethoxylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
Proprietary	Custom HCS-50 Surfactant	OSHA	No Established Limit

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

### Carcinogen Data

CAS No.	Ingredient	Source	Value
0001310-73-2	Sodium hydroxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0006834-92-0	Disodium metasilicate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0007758-29-4	pentasodium triphosphate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0009016-45-9	Nonylphenol polyethoxylate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	Custom HCS-50 Surfactant	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

### 8.2. Exposure controls

#### Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

#### Eyes

Protective safety glasses recommended.

#### Skin

Wear overalls to keep skin contact to a minimum. NEOPRENE OR PVC GLOVES. When handling concentrated product, neoprene or PVC apron and hard hat. Wash face & hands after handling product.

#### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

#### Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

### 9. Physical and chemical properties

<b>Appearance</b>	Liquid
<b>Odor</b>	No
<b>Odor threshold</b>	Not Measured
<b>pH</b>	1% solution: 12.5
<b>Melting point / freezing point</b>	N/A
<b>Initial boiling point and boiling range</b>	120 C
<b>Flash Point</b>	N/A
<b>Evaporation rate (Ether = 1)</b>	N/A
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> N/A <b>Upper Explosive Limit:</b> N/A
<b>Vapor pressure (Pa)</b>	N/A
<b>Vapor Density</b>	Mostly water vapor (AIR=1)
<b>Specific Gravity</b>	1.03
<b>Solubility in Water</b>	100%
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	Not Measured
<b>Decomposition temperature</b>	Not Measured
<b>Viscosity (cSt)</b>	Not Measured

#### 9.2. Other information

No other relevant information.

### 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

None

#### 10.5. Incompatible materials

Strong acids

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

### 11. Toxicological information

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
pentasodium triphosphate - (7758-29-4)	3,120.00, Rat - Category: 5	No data available	No data available	No data available	No data available
Custom HCS-50 Surfactant - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Sodium hydroxide - (1310-73-2)	6,600.00, Mouse - Category: NA	1,350.00, Rabbit - Category: 4	600.00, Mouse - Category: NA	No data available	No data available
Disodium metasilicate - (6834-92-0)	1,153.00, Rat - Category: 4	No data available	No data available	No data available	No data available
Nonylphenol polyethoxylate - (9016-45-9)	2,000.00, Rat - Category: 4	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

## 12. Ecological information

### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
pentasodium triphosphate - (7758-29-4)	Not Available	Not Available	Not Available
Custom HCS-50 Surfactant - (Proprietary)	Not Available	Not Available	Not Available
Sodium hydroxide - (1310-73-2)	196.00, Poecilia reticulata	40.38, Ceriodaphnia dubia	Not Available
Disodium metasilicate - (6834-92-0)	210.00, Danio rerio	33.53, Ceriodaphnia dubia	400.00 (72 hr), Pseudokirchneriella subcapitata
Nonylphenol polyethoxylate - (9016-45-9)	1.30, Lepomis macrochirus	4.80, Daphnia pulex	12.00 (96 hr), Pseudokirchneriella subcapitata

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
<b>14.1. UN number</b>	Not Applicable	Not Regulated	Not Regulated
<b>14.2. UN proper shipping name</b>	Not Regulated	Not Regulated	Not Regulated
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable <b>DOT Label:</b> ---	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable
<b>14.4. Packing group</b>	Not Applicable	Not Applicable	Not Applicable
<b>14.5. Environmental hazards</b>			
<b>IMDG</b>	Marine Pollutant: No		



# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

### 14.6. Special precautions for user

No further information

## 15. Regulatory information

<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act ( TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.
<b>WHMIS Classification</b>	D2B
<b>US EPA Tier II Hazards</b>	<b>Fire:</b> No <b>Sudden Release of Pressure:</b> No <b>Reactive:</b> No <b>Immediate (Acute):</b> Yes <b>Delayed (Chronic):</b> No

**Note:** Strong inorganic acid mists containing sulfuric acid are listed on the California Proposition 65 Carcinogen List. [Sulfuric acid, in and of itself, is not listed under Proposition 65. However, if one has sulfuric acid, which through its intended use generates an acid mist that in turn contains sulfuric acid that would meet the listing. The term "strong" does not refer to the concentration of the acid, but rather the strength of the acid. The basis for the listing of strong inorganic acid mists containing sulfuric acid was the formal identification by the National Toxicology Program (NTP), in its Ninth Report on Carcinogens, that this chemical mixture is "known to be a human carcinogen." (Public notice available at [http://www.oehha.ca.gov/prop65/CRNR\\_notices/admin\\_listing/intent\\_to\\_list/noil19b4.html](http://www.oehha.ca.gov/prop65/CRNR_notices/admin_listing/intent_to_list/noil19b4.html).) ]

### EPCRA 311/312 Chemicals and RQs (lbs):

pentasodium triphosphate ( 5,000.00)  
Sodium hydroxide ( 1,000.00)

**EPCRA 302 Extremely Hazardous :**  
(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals:**  
(No Product Ingredients Listed)

**Proposition 65 - Carcinogens (>0.0%):**  
(No Product Ingredients Listed)

**Proposition 65 - Developmental Toxins (>0.0%):**  
(No Product Ingredients Listed)

**Proposition 65 - Female Repro Toxins (>0.0%):**  
(No Product Ingredients Listed)

**Proposition 65 - Male Repro Toxins (>0.0%):**  
(No Product Ingredients Listed)

**N.J. RTK Substances (>1%):**  
Sodium hydroxide

**Penn RTK Substances (>1%):**  
pentasodium triphosphate  
Sodium hydroxide

**Safety Data Sheet  
Steam Off**

**SDS Revision Date:**

**10/30/2014**

# Safety Data Sheet

## Steam Off

SDS Revision Date:

10/30/2014

### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

End of Document